



Product Parameters (产品描述)

产品编号 | Part Number: KB-H23-xxF-RGBW
出光角度 | Beam Angle: 10/30/15*30/15*45°
产品材料 | Material: PMMA
工作温度 | Work Temp: <85℃

安装方式 | Fastening: Glue
支架颜色 | Holder Color: N/A
透光率 | Transmittance: 93%
匹配LED | Match Led: Dome 3535/5050 RGB leds

Part Number	Match Led	Dimension	Beam Angle
KB-H23-10PF-RGBW	3535/5050 RGB	Φ23*H15.4mm	~10°
KB-H23-30PF-RGBW	3535/5050 RGB	Φ23*H15.4mm	~30°
KB-H23-1530F-RGBW	3535/5050 RGB	Φ23*H15.4mm	~15*30°
KB-H23-1545F-RGBW	3535/5050 RGB	Φ23*H15.4mm	~15*45°

Direction for Use

(透镜 | LENS)

- 1, Please use some soft paper or pure water to clean lens (reflector)
- 2, Don't use any industrial solvent to clean lens surface , such as alcohol
- 3, Storage environment : Temperature 0~40℃ , Humidity 30%~95%
- 4, This kind of lens can make the lighting more concentrated, and it's made from transparent material , so please do not open the packages until you use them, in case of the dust and other pollutions.

Light Distribution Curve (配光曲线图):



Mechanical Characteristics (产品尺寸):

