


Product Parameters:

- * Product Name: Led Lens
- * Part Number : KB-H22-2040Z-XP
- * Product Size : $\Phi 22 * H11.9mm$
- * Beam Angle : 20*40degree
- * Material : Lens-PMMA
- * Tolerance: $\pm 0.1mm$
- * Operating Temperature : $-40 \sim 90^{\circ}C$
- * Lens Light Efficiency : 86~88%
- * Assembly : Glue|Tape|Screw
- * Match Led : Cree-XTE/XPE/XPG/XBD
Osram Oslon Series
SMD3030



* Direction for use

- 1, Please use some soft paper or pure water to clean lens (reflector)
- 2, Don't use any industrial solvent to clean lens surface , such as alcohol
- 3, Storage environment : Temperature $0 \sim 40^{\circ}C$, Humidity 30%~95%
- 4, This kind of lens can make the lighting more concentrated, and it's made from transparent material , so please do not open the packages until you use them, in case of the dust and other pollutions.


Product Package:




Single lens

200pcs/box
20boxes/carton
G.W/Ctn: 16KG
Ctn Size: 62.5*29*26cm

Optical Characteristics:



光通输出: 4.702 lm



高度 Eavg, Emax 光束角: 23.91度 直径

注: 曲线为灯具在不同投射距离下的照射区域及区域内平均照度.

Mechanical Characteristics:

