


Product Parameters (产品描述)

产品编号 | Part No.: KB-FX22-xxF-xx-3030
 出光角度 | Angle: 15/30/40/Oval
 产品材料 | Material: PC
 工作温度 | Work Temp: <105°C

安装方式 | Fastening: Pins+Glue
 支架颜色 | Holder Color: Black
 透光率 | Transmittance: 93%
 匹配LED | Match Led: SMD3030 Leds





| Part Number | Lens Surface | Dimension | Pins Pitch | Beam Angle |
|-----------------------|------------------|-------------|------------|------------|
| KB-FX22-15PF-3030 | 珠面/beads | φ22*H6.53mm | 20mm | ~15° |
| KB-FX22-15PF-HC-3030 | +Honeycomb cover | φ22*H11.8mm | | |
| KB-FX22-15PF-SC-3030 | +Strip cover | φ22*H11.8mm | | |
| KB-FX22-30PF-3030 | 珠面/beads | φ22*H6.53mm | 20mm | ~30° |
| KB-FX22-30PF-HC-3030 | +Honeycomb cover | φ22*H11.8mm | | |
| KB-FX22-30PF-SC-3030 | +Strip cover | φ22*H11.8mm | | |
| KB-FX22-40PF-3030 | 珠面/beads | φ22*H6.53mm | 20mm | ~40° |
| KB-FX22-40PF-HC-3030 | +Honeycomb cover | φ22*H11.8mm | | |
| KB-FX22-40PF-SC-3030 | +Strip cover | φ22*H11.8mm | | |
| KB-FX22-1530F-3030 | 珠面/beads | φ22*H6.53mm | 20mm | ~15*30° |
| KB-FX22-1530F-HC-3030 | +Honeycomb cover | φ22*H11.8mm | | |
| KB-FX22-1530F-SC-3030 | +Strip cover | φ22*H11.8mm | | |

without anti-glare cover



with anti-glare cover

Light Distribution Curve (配光曲线图):



Mechanical Characteristics (产品尺寸):

