



### Product Parameters (产品描述)

产品编号   Part Number:	KB-HB4W-15-XP	安装方式   Fastening:	Screw
出光角度   Beam Angle:	~15°	峰值   Peak Intensity:	17cd/lm
产品材料   Material:	PC	透光率   Transmittance:	93%
工作温度   Work Temp:	<105°C	匹配LED   Match Led:	Dome 3535 Leds

Part Number	LED QTY	Dimension	Beam Angle
KB-HB4W-15-XP	4pcs	L49.6*W50mm	~15°

### Direction for Use

#### (透镜 | LENS)


- 1, Please use some soft paper or pure water to clean lens ( reflector)
- 2, Don't use any industrial solvent to clean lens surface , such as alcohol
- 3, Storage environment : Temperature 0~40°C , Humidity 30%~95%
- 4, This kind of lens can make the lighting more concentrated, and it's made from transparent material , so please do not open the packages until you use them, in case of the dust and other pollutions.

Light Distribution Curve (配光曲线图):

Part Number: KB-HB4W-15-XP

Tested Led: Cree XP-G2


Beam angle: 9.6°



Part Number: KB-HB4W-15-XP

Tested Led: Cree XTE

Beam angle: 12.6°



Mechanical Characteristics (产品尺寸):

