



Product Parameters (产品描述)

| | | | |
|---------------------|-----------------------|-----------------------|-------------|
| 产品编号 Part Number: | KB-SL2X4W-T2M-5050-FC | 安装方式 Fastening: | Screw |
| 出光角度 Beam Angle: | Type II-M | 产品颜色 Product Color: | Transparent |
| 产品材料 Material: | PC | 透光率 Transmittance: | 93% |
| 工作温度 Work Temp: | <105°C | 匹配LED Match Led: | SMD5050 Led |

| Part Number | LED QTY | Dimension | Beam Angle |
|-----------------------|---------|-----------|---------------------------|
| KB-SL2X4W-T2M-5050-FC | 4pcs | L50*W50mm | Type II-M Full cut-off |



Direction for Use

(透镜 | LENS)

- 1, Please use some soft paper or pure water to clean lens (reflector)
- 2, Don't use any industrial solvent to clean lens surface , such as alcohol
- 3, Storage environment : Temperature 0~40°C , Humidity 30%~95%
- 4, This kind of lens can make the lighting more concentrated, and it's made from transparent material , so please do not open the packages until you use them, in case of the dust and other pollutions.

Light Distribution Curve (配光曲线图):

(Test Led: SMD5050 Led)



Mechanical Characteristics (产品尺寸):

