



Product Parameters (产品描述)


产品品名 | Product Name: LED LENS
出光角度 | Beam Angle: 10/20/30/60/90/Asymmetric
产品材料 | Material: PC
工作温度 | Work Temp: <105℃

安装方式 | Fastening: Screw
防水圈 | Silica seal : available
透光率 | Transmittance: 93%
匹配LED | Match Led: SMD3030/3535/5050


Part Number	Match Led	LED QTY	Dimension	Beam Angle
KB-HB32W-10-XP	Cree XP/3535	32pcs	L286*W96MM	~10°
KB-HB46W-20-5050	SMD5050	46pcs	L286*W96MM	~20°
KB-HB112W-30-3030	SMD3030/2835	112pcs	L286*W96MM	~30°
KB-HB112W-60-3030	SMD3030/2835	112pcs	L286*W96MM	~60°
KB-HB112W-90-3030	SMD3030/2835	112pcs	L286*W96MM	~90°
KB-SL112W-30*70-3030	SMD3030/2835	112pcs	L286*W96MM	~30*70°
KB-SL112W-60*90-3030	SMD3030/2835	112pcs	L286*W96MM	~60*90°
KB-SL112W-40*130-3030	SMD3030/2835	112pcs	L286*W96MM	~40*130°
KB-SL112W-70*140-3030	SMD3030/2835	112pcs	L286*W96MM	~70*140°

Light Distribution Curve (配光曲线图):


Part Number: KB-HB32W-10-XP



Part Number: KB-HB46W-20-5050




Part Number: KB-HB112W-30-3030




Light Distribution Curve (配光曲线图):


Part Number: KB-HB112W-60-3030



Part Number: KB-HB112W-90-3030




Part Number: KB-SL112W-3070-3030




Light Distribution Curve (配光曲线图):


Part Number: KB-SL112W-6090-3030



Part Number: KB-SL112W-40130-3030




Part Number: KB-SL112W-70140-3030




Mechanical Characteristics (产品尺寸):

(KB-HB32W-10-XP)



Mechanical Characteristics (产品尺寸):

(KB-HB46W-20-5050)



Mechanical Characteristics (产品尺寸):

(KB-HB/SL112W-xx-3030)

