




Product Parameters (产品描述)

产品编号 Part Number:	KB-SL224W-xx-602186-5050	安装方式 Fastening:	Screw
出光角度 Beam Angle:	10/15/20/40/60/90/P60°	防水圈 Silica seal :	available
产品材料 Material:	PC	透光率 Transmittance:	93%
工作温度 Work Temp:	< 105°C	匹配LED Match Led:	3535 3737 Flat 5050 Led

Part Number	Led Qty	Dimension	Beam Angle
KB-SL224W-10-602186-XP	224pcs	L602*W186MM	~10°
KB-SL224W-15-602186-5050	224pcs	L602*W186MM	~15°
KB-SL224W-20-602186-5050	224pcs	L602*W186MM	~20°
KB-SL224W-40-602186-5050	224pcs	L602*W186MM	~40°
KB-SL224W-60-602186-5050	224pcs	L602*W186MM	~60°
KB-SL224W-90-602186-5050	224pcs	L602*W186MM	~90°
KB-SL154W-P60-602186-5050	154pcs	L602*W186MM	60° Polarized

Direction for Use

(透镜 | LENS)


- 1, Please use some soft paper or pure water to clean lens (reflector)
- 2, Don't use any industrial solvent to clean lens surface , such as alcohol
- 3, Storage environment : Temperature 0~40°C , Humidity 30%~95%
- 4, This kind of lens can make the lighting more concentrated, and it's made from transparent material , so please do not open the packages until you use them, in case of the dust and other pollutions.

Light Distribution Curve (配光曲线图):

Model: KB-SL224W-10-602186-XP

Test Led: Osram 3737


Angle: 10°



Model: KB-SL224W-15-602186-5050

Test Led: Philips 5050 Led


Angle: 15°



Model: KB-SL224W-20-602186-5050

Test Led: Philips 5050 Led

Angle: 20°




Light Distribution Curve (配光曲线图):

Model: KB-SL224W-40-602186-5050

Test Led: Philips 5050 Led


Angle: 40°



Model: KB-SL224W-60-602186-5050

Test Led: Philips 5050 Led


Angle: 60°



Model: KB-SL126W-90-520116-5050

Test Led: Philips 5050 Led

Angle: 90°




Light Distribution Curve (配光曲线图):

Model: KB-SL154W-P60-602186-5050

Test Led: Philips 5050 Led

Angle: 60° Polarized



Mechanical Characteristics (产品尺寸):

